

Introduction

As POSHLIN INCORPORATION, our organization recognizes the satisfaction of its clients as its topmost priority. We conduct a series of discourses with our clients to shrewdly analyze their needs and expectations of our products.

We at POSHLIN INCORPORATION believe in building up long-term relationships with our customers, suppliers & employees. POSHLIN INCORPORATION is considered as most Reliable & Preferred source of forged & machined products by their customers.

POSHLIN INCORPORATION is committed to Quality products, Timely delivery & Customer satisfaction all the times. Every employee at POSHLIN understands the importance of producing high-quality products at competitive prices. It is our in-house & efficient manufacturing capabilities that allow us to meets our customer's needs.

Contents

02.	INTRODUCTION
05.	ABOUT US
06.	FORGED COUPLERS
11.	PRESSED STEEL COUPLERS
14.	CUPLOCK ACCESSSORIES
15.	CUPLOCK SYSTEM

Contents

16.	JACKS AND PROPS
20.	FORMWORKS SYSTEM
22.	CONTACT US

About Us

Why Choose Us:

- Well established modernized production facilities.
- Well established Quality testing laboratory
- High-quality raw materials are being used keeping in mind good surface hardness, microstructure and to achieve higher breaking load.
- Our Products are safe and user-friendly.
- Capabilities to supply any steel grade as per international standards as DIN/ASTM/BS/Russian and Indian Standards

MANUFACTURER & EXPORTER OF:SCAFFOLDING AND FORMWORKS

POSHLIN INCORPORATION with vast experience of 21 years & has been expanded in order to meet increasing requirements of customers. Our Company is one of India's foremost the Forging Company, manufacturing highquality Hot Forged Products, Casted Products & Fabricated Products for both Domestic & Export market

We are in process of developing additional market in Overseas for a wide variety of products offering High Quality, Services & Competitive Commercial Terms in this rapidly growing area of our business.

Features

PI-001

Used for connection of 2 tubes (48.3) at right angles Nut Size -1/2''

Tee Bolts – 1/2" BSW Thread, available in Mild Steel or Boron Steel

For 48.3 OD Tube size Finish – Zinc Plated Std. Packing – 25 Pcs/Bag, 1000 Pcs/Pallet



Drop Forged Double Coupler
- Right Angle 40 x 40 MM
Weight: 0.950 Grams Approx.



Drop Forged Swivel Coupler 40 x 40 MM Weight: 1.050 Kgs Approx.

Features

PI-002

Used for connection of 2 tubes (48.3) at any angle Nut Size – 1/2"

Tee Bolts -1/2'' BSW Thread, available in Mild Steel or Boron Steel

For 48.3 OD Tube size
Finish – Zinc Plated
Std. Packing – 25 Pcs/Bag, 1000
Pcs/Pallet

Features

Pcs/Pallet

PI-003

Used for connection of 2 tubes at right angles Nut Size – 1/2"
Tee Bolts – 1/2" BSW Thread, available in Mild Steel or Boron Steel
For 48.3 X 60.3 OD Tube size
Finish – Electro Zinc Plated
Std. Packing – 20 Pcs/Bag, 1000



Drop Forged Double Coupler
- Right Angle 40 x 50 MM
Weight: 1.100 Kgs Approx.



Drop Forged Swivel Coupler 40 x 40 MM Weight: 1.250 Kgs Approx.

Features

Pcs/Pallet

PI-004

Used for connection of 2 tubes at any angles Nut Size – 1/2"
Tee Bolts – 1/2" BSW Thread, available in Mild Steel or Boron Steel
For 48.3 X 60.3 OD Tube size
Finish – Electro Zinc Plated
Std. Packing – 20 Pcs/Bag, 1000

Features

PI-005

Used for connection of putlogs & transoms to ledgers Nut Size – 1/2"
Half Tee Bolts – 1/2" BSW Thread, available in Mild Steel or Boron Steel
For 48.3 OD Tube size

For 48.3 OD Tube size
Finish – Zinc Plated
Std. Packing – 50 Pcs/Bag, 1250
Pcs/Pallet



Drop Forged Single Coupler (Put Log)

Weight: 0.550 Grams Approx.



Drop Forged Board Retaining Coupler

Weight: 0.550 Grams Approx.

Features

PI-006

Used for quickly & securely locking the boards in correct positions

Nut Size - 1/2"

Half Tee Bolts – 1/2" BSW Thread, available in Mild Steel or Boron Steel

For 48.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 50 Pcs/Bag, 1250 Pcs/Pallet

Features

PI-007

Used for connection of 2 tubes at any angle
Flange Nut – 1/2"
Tee Bolts – 1/2" BSW Thread, available in Mild Steel or Boron Steel
For 51.0 OD Tube size
Finish – Zinc Plated
Std. Packing – 25 Pcs/Bag, 1000
Pcs/Pallet



Drop Forged Beam/ Grider Coupler

Weight: 1.350 Kgs Approx.



Ladder Clamp Box Type Weight: 1.220 Kgs Approx.

Features

PI-008

Used to connect scaffolding tubes to scaffolding ladder to each other

Nut Size – M12 Thread

Bolt – Mild Steel

For 48.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 25 Pcs/Bag,1000

Pcs/Pallet

Features

PI-009

Versatile range of half couplers for a variety of application requiring the clamping of a single tube Nut Size – 1/2"

Tee Bolt – 1/2"

Available in Mild Steel or Boron Steel for 48.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 50 Pcs/Bag, 2000

Pcs/Pallet



Drop Forged Half Coupler Weight: 0.550 Grams Approx.



T- Bolt Set
Weight: 0.110 Grams Approx.

Features

PI-010

T-Bolt Set

Size: 12 x 87 MM

Nut Size – M12 Thread

Washer Size: M12

Grade - Mild Steel/ Boron/ 8.8 G

Finish – Zinc Plated

Std. Packing - 500 Pcs/Bag

Pressed Steel Couplers

Features

PI-011

Used for external connection of two tubes end-to-end. Provides a more secure joint

Nut Size – 1/2"

Tee Bolts – 1/2" BSW thread,

Available in Mild Steel
or Boron Steel

For 48.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 20 Pcs/Bag, 1000

Pcs/Pallet



Pressed Sleeve Coupler (4 mm)
Weight: 1.000 Kgs Approx.



Pressed Steel Half Coupler Weight: 0.340 Grams Approx.

Features

PI-012

Used to connect scaffolding tubes to scaffolding ladder to each other

Nut Size – M12 Thread

Bolt – Mild Steel

For 48.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 25 Pcs/Bag,1000

Pcs/Pallet

Pressed Steel Couplers

Features

PI-013

Used for connection of 2 tubes at right angles

Nut Size – 1/2"

Eye Bolts – 1/2" BSW Thread,

Available in Mild Steel or Boron

Steel

For 48.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 50 Pcs/Bag, 1000

Pcs/Pallet



Pressed Steel Double Coupler 40 X 40 MM

Weight: 0.600 Grams Approx.



Pressed Steel Swivel Coupler 40 X 40 MM

Weight: 0.700 Grams Approx.

Features

PI-014

Used for connection of 2 tubes at any angle

Nut Size - 1/2"

Eye Bolts – 1/2" BSW Thread, Available in Mild Steel or Boron Steel

For 48.3 OD Tube size Finish – Zinc Plated Std. Packing – 50 Pcs/Bag, 1000 Pcs/Pallet

Pressed Steel Couplers

Features

PI-015

Used for external connection of two tubes end-to-end. Provides a more secure joint

Nut Size – 1/2"

Eye Bolts – 1/2" BSW thread,

Available in Mild Steel
or Boron Steel

For 48.3 X 60.3 OD Tube size

Finish – Zinc Plated

Std. Packing – 25 Pcs/Bag, 1000

Pcs/Pallet



Pressed Steel Double Coupler 40 X 50 MM

Weight: 0.720 Grams Approx.



Pressed Steel Swivel Coupler 40 X 50 MM

Weight: 0.850 Grams Approx.

Features

PI-016

Used to connect scaffolding tubes to scaffolding ladder to each other

Nut Size - 1/2"

Eye Bolts — 1/2" BSW thread, Available in Mild Steel or Boron Steel

For 48.3 X 60.3 OD Tube size Finish – Zinc Plated

Std. Packing – 25 Pcs/Bag,1000

Pcs/Pallet

Cuplock Accessories



Top Cup 4 Leg

Weights available – 0.350, 0.370, 0.410 Grams Approx. Self Finish



Ledger Blade

Weights available – 0.150, 0.175, 0.200 Grams Approx.

Self Finish



Bottom Cup

Weights available – 0.175, 0.200 Grams Approx. Self Finish




Ledger Blade With Hole

Weights available – 0.170, 0.190 Grams Approx. Self Finish

Cuplock System





Vertical / Standard

<u>Size</u>	<u>Weight (Kgs)</u>		
3.0 MTR		13.500	
2.5 MTR		11.250	
2.0 MTR		9.100	
1.5 MTR		6.850	
1.0 MTR		4.600	
0.5 MTR		2.300	

Horizontal/ Ledger

<u>Size</u>	<u>vveight (Kgs</u>		
2 MTR		7.250	
1.8 MTR		6.500	
1.5 MTR		5.450	
1.2 MTR		4.360	
1.0 MTR		3.600	
0.9 MTR		3.250	

Jacks & Props



Universal Hollow Jack

<u>Size</u> <u>Weight (Kgs)</u> 350 / 450 MM : 1.900 450 / 550 MM : 2.250 550 / 650 MM : 2.600



Hollow Base Jack

Size Weight (Kgs) 350 / 450 MM : 2.900 450 / 550 MM : 3.250 550 / 650 MM : 3.600



Hollow U Jack

<u>Size</u> <u>Weight (Kgs)</u> 350 / 450 MM : 2.950 450 / 550 MM : 3.300 550 / 650 MM : 3.650



Slotted Forkhead

Weights available – 4.100 Kgs Approx. Finish: Zinc / HDG

Jacks & Props



Solid Base Jack


<u>Size</u> Weight (Kgs)

250 / 350 MM : 2.800 350 / 450 MM : 3.600 PI-028

Solid U Jack

<u>Size</u> Weight (Kgs)

250 / 350 MM : 2.850 350 / 450 MM : 3.650





Casted Cup Nut For Jack

Approx. Self Finish



Casted / Forged Jack Nut

Weights available – 0.200 Grams Weights available – 0.350 Grams Approx. Self Finish

Scaffolding Props



Scaffolding Prop (Painted / Hot Dip Galvanised)

<u>Size (Light)</u>	<u>/eight (Kgs)</u> <u>5 KN SWL</u>	<u>Size (Heavy)</u>		<u>Weight (Kgs)</u> 20 KN SWL
1.8 X 3.0 MTR	13.500	1.8 X 3.0 MTR		16.500
2.0 X 3.5 MTR		2.0 X 3.5 MTR	:	17.500
2.5 X 4.1 MTR	17.000	2.5 X 4.1 MTR		20.500
3.5 X 5.5 MTR	21.500	3.5 X 5.5 MTR		24.250

Props Accessories



Prop Sleeve

Weights available – 0.800 Grams
Approx.
Finish: Self / Zinc



Prop Sleeve With Nut

Weights available – 1.170 Grams

Approx.

Finish: Self / Zinc



Prop Nut

Weights available – 0.370 Grams
Approx.
Finish: Self / Zinc



Heavy Prop Nut

Weights available – 0.550 Grams
Approx.
Finish: Self / Zinc

Formworks Accessories



Tie Rod 15MM / 17MM

Weights available –4.200, 8.400 Kgs Approx. Self Finish



Anchor Nut 2 Wing

Size (Dia)

90 MM : 0.340 100 MM : 0.380

Weight (Kgs)



Casted Wing Nut

Weights available – 0.170, 0.200 Grams Approx. Self Finish



Anchor Nut 3 Wing

<u>Size (Dia)</u> <u>Weight (Kgs)</u> 90 MM : 0.430

90 MM : 0.430 100 MM : 0.500

Formworks Accessories



Water Stopper

Weights available –0.380 Grams
Approx.
Zinc Plated



Waller Plate 120 X 120 X 4MM

Weights available – 0.430 Grams
Approx.
Zinc Plated





MS Shuttering Plate

Size: 1250 X 650 MM, 950 X 550 MM Finish: Painted



EXPORTER


High Quality, Durable and Cost Effective Scaffoldings



SCAN OUR WHATSAPP CODE



C.E.O





+91 99151 28800, +91 99152 88800



www.poshlin.in





